



# Wheel Balancers and Accessories



**BOSCH**

Invented for life

# WBE 4430 LCD Monitor High Volume Wheel Balancer

## WBE 4230 LCD High Volume Wheel Balancer



F00E900663 WBE 4430 LCD Monitor High Volume Wheel Balancer



F00E900662 WBE 4230 Digital High Volume Wheel Balancer

### The WBE 4430 and 4230 are ideal for medium to high volume shops.

With features like a six second cycle time, data arms to automatically measure diameter, distance and width (3D) and the Easyfix arm, these balancers offer the fastest floor-to-floor time in our line up.

The Split Weight Program separates weights to hide them behind spokes improving aesthetics of the rim and customer satisfaction. A wheel positioning pedal and automatic lock ensures accurate weight placement.

The WBE 4430 incorporates an inner wheel light ring and laser for lighting the interior of the rim and directing the operator to the exact weight placement location at TDC or BDC positions. An automatic lock momentarily stops the wheel at the desired location for weight placement.

## Features







The user programmable hot keys are one of the many features of the WBE 4430.



The WBE 4230's multi colored enhanced LCD display is bright and easy to read.

# WBE Product Comparison

	WBE 4510	WBE 4430	WBE 4230	WBE 4140	WBE 4110
					
<b>Number</b>	F00E900664	F00E900663	F00E900662	F00E900661	F00E900660
<b>Entry system</b>	3D	3D	3D	2D	2D
<b>Display</b>	LCD monitor	LCD monitor	Enhanced LCD	LCD monitor	LED
<b>Wheel dimensions</b>	10"–26" 20" wide	12"–30" 21" wide	12"–30" 21" wide	8"–26" rim 13" wide	8"–26" rim 13" wide
<b>Max tire diameter</b>	41.25"	47.25"	47.25"	32.5"	32.5"
<b>Power</b>	220 v, air req'd.	220 v	220 v	110 v	110 v
<b>Weight capacity</b>	154 lbs	154 lbs	154 lbs	143 lbs	143 lbs
<b>5 cone set</b>	X	X	X	X	X
<b>Light truck spacer ring</b>	X	X	X	X	X
<b>Split weight program</b>	X	X	X	X	X
<b>Positioning pedal</b>	X	X	X	X	X
<b>Extended 40 mm shaft</b>	X	X	X	X	X
<b>Quicknut</b>	X	X	X	X	X
<b>Wheel positioning pedal</b>	X	X	X	X	X
<b>Laser weight placement</b>	X	X	X		
<b>Windows CE based software</b>	X	X		X	
<b>User customized hot keys</b>		X	X		
<b>Easyfix arm</b>	X	X	X		
<b>Integrated wheel lift</b>	X				
<b>Light ring</b>		X	X		
<b>Diagnostic capability</b>	X				
<b>Bosch extended limited warranty*</b>	X	X	X	X	X

The Bosch extended limited warranty is 3 years on electronics and motor, 1 year all other parts, 6 months field service. For details please see the Bosch wheel service warranty form.

Optional Accessories	Part Number	Application	Photo
5 lug speed plate and end tips	1902 0142	All with 40 mm shaft	
6 lug speed plate and end tips	1902 0143	All with 40 mm shaft	
Speed plate storage rack	1902 0144	For above plates	
4 piece flange plate kit	1 695 655 299	All with 40 mm shaft	
Printer kit	1 695 654 956	WBE 4510	
Light ring and laser kit	1 695 654 994	WBE 4230 WBE 4220	